



City of Arlington ADA Ramp Evaluation Form

(A) Background Information

(A1.1) Ramp ID Number:	155	(A1.7) Road Name (1) (N/S):	N DUNHAM AVE
(A1.2) GPS Coordinations:	N/A	(A1.8) Road Name (2) (E/W):	E 3RD ST
(A1.3) Evaluator Name:	IAN DAVIS	(A1.9) Quadrant or Side of Road:	SW
(A1.4) Date Evaluated:	7/29/2015	(A1.10) Number of Approaches:	4
(A1.5) Ramp Location:	H	(A1.11) Traffic Control Type:	STOP ON N/S
(A1.6) Ramp Type:	Perpendicular	(A1.12) Marked Crosswalked (Y/N)?	N

(B) Perpendicular Ramps		(D) Parallel Ramps		(E) Combination Ramps			
(B1) Landing		(D1) Landing		(E1) Landing			
(B1.1) Run Slope (%):	6.9%	(D1.1) Run Slope (%):		(E1.1) Run Slope (%):			
(B1.2) Cross Slope (%):	0.6%	(D1.2) Cross Slope (%):		(E1.2) Cross Slope (%):			
(B1.3) Length (ft):	4.2	(D2.3) Length (ft):		(E1.3) Length (ft):			
(B1.4) Width (ft):	4+	(D1.4) Width (ft):		(E1.4) Width (ft):			
(B2) Ramp		(D2) Ramps		Left	Right	(E2) Ramps	
(B2.1) Cross Slope (%):	2.5%	(D2.1) Cross Slope (%):				(E2.1) Cross Slope (%):	
(B2.2) Width (ft):	3	(D2.2) Width (ft):				(E2.2) Width (ft):	
(B2.3) Run Slope (%):	6.9%	(D2.3) Run Slope (%):				(E2.3) Run Slope (%):	
(B2.4) Length (ft):	5	(D2.4) Length (ft):				(E2.4) Length (ft):	

(B3) Flares and Returned Curbs		
(B3.1) P.C.P. Crosses the Ramp (Y/N)?	N	
(B3.2) Flares Present (Y/N)?	Y	
(B3.3) Flare Slope (%):		
Left	Right	
9.4%	4.4%	
(B3.4) Returned Curbs Protected (Y/N)?	N	

(F) Blended Transitions

(F1) Narrowest Width Measured Perpendicular to the Direction of Travel (ft):	
(F2) Steepest Slope Measured Parallel to the Direction of Travel (ft):	
(F3) Steepest Cross Slope Measured Perpendicular to the Direction of Travel (%):	

(G) General Curb Ramp Elements

(G1) Surfaces and Grade Breaks		(G2) Detectable Warning Surfaces		(G3) Gutter Counter Slopes	
(G1.1) Are all grade breaks flush (Y/N)?	Y	(G2.1) DWS Present (Y/N)?	Y	(G3.1) Gutter Counter Slope (%):	5.4%
(G1.2) Obstructions/Utility Covers (Y/N)?	N	(G2.2) Adequate Visual Contrast (Y/N)?	N	(G3.2) Gutter Flow Line Slope (%):	9.8%
(G1.3) Vertical Discontinuities (Y/N)?	N	(G2.3) Extends Full Width of Landing (Y/N)?	N	(G4) Clear Space & Alignment	
(G1.4) Horizontal Gaps (in.)?	N/A	(G2.4) Both Ends Located at the Back of the Curb (Y/N)?	Y	(G4.1) Adequate clear Space Beyond Face of Curb (Y/N):	Y
(G1.5) Grade Breaks Perp. to Slopes (Y/N)?	N	(G2.5) Distance of Farthest Corner from Back of the Curb (in.)?	N/A	(G4.2) Curb Ramp Falls Within Crosswalk (Y/N)?	N/A
(G1.6) Planar Surfaces (Y/N)?	Y	(G2.6) Length of DWS in the Direction of Travel (in.)?	60	(G4.3) Curb Ramp Located Outside of Curb Radius (Y/N):	N
		(G2.7) Truncated Domes Aligned Perp. to Grade Breaks (Y/N)?	N/A	(G4.4) Curb Ramp Generally Aligns with Ramp on Other Side of Crossing (Y/N)?	Y

Comments/Notes (Such as ponding, Legally parked cars can block, etc.)