



City of Arlington ADA Ramp Evaluation Form

(A) Background Information

(A1.1) Ramp ID Number:		(A1.7) Road Name (1) (N/S):	
(A1.2) GPS Coordinations:		(A1.8) Road Name (2) (E/W):	
(A1.3) Evaluator Name:		(A1.9) Quadrant or Side of Road:	
(A1.4) Date Evaluated:		(A1.10) Number of Approaches:	
(A1.5) Ramp Location:		(A1.11) Traffic Control Type:	
(A1.6) Ramp Type:		(A1.12) Marked Crosswalked (Y/N)?	

(B) Perpendicular Ramps		(D) Parallel Ramps		(E) Combination Ramps			
(B1) Landing		(D1) Landing		(E1) Landing			
(B1.1) Run Slope (%):		(D1.1) Run Slope (%):		(E1.1) Run Slope (%):			
(B1.2) Cross Slope (%):		(D1.2) Cross Slope (%):		(E1.2) Cross Slope (%):			
(B1.3) Length (ft):		(D1.3) Length (ft):		(E1.3) Length (ft):			
(B1.4) Width (ft):		(D1.4) Width (ft):		(E1.4) Width (ft):			
(B2) Ramp		(D2) Ramps		(E2) Ramps			
					Left	Center	Right
(B2.1) Cross Slope (%):		(D2.1) Cross Slope (%):		(E2.1) Cross Slope (%):			
(B2.2) Width (ft):		(D2.2) Width (ft):		(E2.2) Width (ft):			
(B2.3) Run Slope (%):		(D2.3) Run Slope (%):		(E2.3) Run Slope (%):			
(B2.4) Length (ft):		(D2.4) Length (ft):		(E2.4) Length (ft):			

(B3) Flares and Returned Curbs		
(B3.1) P.C.P. Crosses the Ramp (Y/N)?		
(B3.2) Flares Present (Y/N)?		
(B3.3) Flare Slope (%):	Left	Right
(B3.4) Returned Curbs Protected (Y/N)?		

(F) Blended Transitions

(F1) Narrowest Width Measured Perpendicular to the Direction of Travel (ft):	
(F2) Steepest Slope Measured Parallel to the Direction of Travel (ft):	
(F3) Steepest Cross Slope Measured Perpendicular to the Direction of Travel (%):	

(G) General Curb Ramp Elements

(G1) Surfaces and Grade Breaks		(G2) Detectable Warning Surfaces		(G3) Gutter Counter Slopes	
(G1.1) Are all grade breaks flush (Y/N)?		(G2.1) DWS Present (Y/N)?		(G3.1) Gutter Counter Slope (%):	
(G1.2) Obstructions/Utility Covers (Y/N)?		(G2.2) Adequate Visual Contrast (Y/N)?		(G3.2) Gutter Flow Line Slope (%):	
(G1.3) Vertical Discontinuities (Y/N)?		(G2.3) Extends Full Width of Landing (Y/N)?		(G4) Clear Space & Alignment	
(G1.4) Horizontal Gaps (in.)?		(G2.4) Both Ends Located at the Back of the Curb (Y/N)?		(G4.1) Adequate clear Space Beyond Face of Curb (Y/N):	
(G1.5) Grade Breaks Perp. to Slopes (Y/N)?		(G2.5) Distance of Farthest Corner from Back of the Curb (in.)?		(G4.2) Curb Ramp Falls Within Crosswalk (Y/N)?	
(G1.6) Planar Surfaces (Y/N)?		(G2.6) Length of DWS in the Direction of Travel (in.)?		(G4.3) Curb Ramp Located Outside of Curb Radius (Y/N):	
		(G2.7) Truncated Domes Aligned Perp. to Grade Breaks (Y/N)?		(G4.4) Curb Ramp Generally Aligns with Ramp on Other Side of Crossing (Y/N)?	

Comments/Notes (Such as ponding, Legally parked cars can block, etc.)